Structured Electronic Design

Biasing of operational Amplifier Circuits

Anton J.M. Montagne











Input port:

- Bias currents cannot be tuned to zero





- Bias currents cannot be tuned to zero
 - Mean value can be positive or negative and may depend on input CM voltage





- Bias currents cannot be tuned to zero
- Offset current cannot be tuned to zero





- Bias currents cannot be tuned to zero
- Offset current cannot be tuned to zero
 - Mean value tuned to zero





- Bias currents cannot be tuned to zero
- Offset current cannot be tuned to zero
- Offset voltage cannot be tuned to zero





- Bias currents cannot be tuned to zero
- Offset current cannot be tuned to zero
- Offset voltage cannot be tuned to zero
 - Mean value tuned to zero





- Bias currents cannot be tuned to zero
- Offset current cannot be tuned to zero
- Offset voltage cannot be tuned to zero
- Input common-mode voltage operating range:





- Bias currents cannot be tuned to zero
- Offset current cannot be tuned to zero
- Offset voltage cannot be tuned to zero
- Input common-mode voltage operating range:
 - Limited by saturation or breakdown mechanisms in input devices





- Bias currents cannot be tuned to zero
- Offset current cannot be tuned to zero
- Offset voltage cannot be tuned to zero
- Input common-mode voltage operating range:
 - Limited by saturation or breakdown mechanisms in input devices
 - May exceed supply voltage (R2R input devices)





Input port:

- Bias currents cannot be tuned to zero
- Offset current cannot be tuned to zero
- Offset voltage cannot be tuned to zero
- Input common-mode voltage operating range:
 - Limited by saturation or breakdown mechanisms in input devices
 - May exceed supply voltage (R2R input devices)

Output port:



Input port:

- Bias currents cannot be tuned to zero
- Offset current cannot be tuned to zero
- Offset voltage cannot be tuned to zero
- Input common-mode voltage operating range:
 - Limited by saturation or breakdown mechanisms in input devices
 - May exceed supply voltage (R2R input devices)



Output port:

- Output voltage swing less than peak-to-peak supply voltage:



Input port:

- Bias currents cannot be tuned to zero
- Offset current cannot be tuned to zero
- Offset voltage cannot be tuned to zero
- Input common-mode voltage operating range:
 - Limited by saturation or breakdown mechanisms in input devices
 - May exceed supply voltage (R2R input devices)

- Output voltage swing less than peak-to-peak supply voltage:
 - Depends on output current

Output port:



Input port:

- Bias currents cannot be tuned to zero
- Offset current cannot be tuned to zero
- Offset voltage cannot be tuned to zero
- Input common-mode voltage operating range:
 - Limited by saturation or breakdown mechanisms in input devices
 - May exceed supply voltage (R2R input devices)

- Output voltage swing less than peak-to-peak supply voltage:
 - Depends on output current

Output port: