


Structured Electronic Design



Design of application-specific
negative feedback amplifiers
with operational amplifiers

Anton J.M. Montagne


Design step



Design tool




design
aspect



Design step



Design tool




Setting up and understanding the specifications

X								

SLiCAP

*Function, performance,
costs and environment*



design
aspect


Design step



Setting up and understanding the specifications
Design considerations w.r.t. the amplifier type: A, B, C, D


✓								
	✗							

Function, performance,
costs and environment
Feedback configuration




Design tool

SLiCAP
SLiCAP




design
parameters

Design step



Design tool




Setting up and understanding the specifications
Design considerations w.r.t. the amplifier type: A, B, C, D
Design considerations w.r.t. the V/I drive capability and biasing stability

✓								
	✓							
		✗						

SLiCAP
SLiCAP
SLiCAP

Function, performance,
costs and environment
Feedback configuration
Biasing concept, supply voltages


design
aspect



Design step



Design tool



Setting up and understanding the specifications
Design considerations w.r.t. the amplifier type: A, B, C, D
Design considerations w.r.t. the V/I drive capability and biasing stability
Design considerations w.r.t. the noise performance

✓								
	✓							
		✓						
			✗					

SLiCAP
SLiCAP
SLiCAP
SLiCAP


*Function, performance,
costs and environment*
Feedback configuration
Biasing concept, supply voltages
Controller input noise sources

← design aspect

Design step



Design tool




Setting up and understanding the specifications
Design considerations w.r.t. the amplifier type: A, B, C, D
Design considerations w.r.t. the V/I drive capability and biasing stability
Design considerations w.r.t. the noise performance
Design considerations w.r.t. the mid-band accuracy and bandwidth

✓								
	✓							
		✓						
			✓					
				✗				


SLiCAP
SLiCAP
SLiCAP
SLiCAP
SLiCAP

Function, performance,
costs and environment
Feedback configuration
Biasing concept, supply voltages
Controller input noise sources
Loop gain and LP product


design aspect



Design step



Design tool



Setting up and understanding the specifications
Design considerations w.r.t. the amplifier type: A, B, C, D
Design considerations w.r.t. the V/I drive capability and biasing stability
Design considerations w.r.t. the noise performance
Design considerations w.r.t. the mid-band accuracy and bandwidth
Component selection (e.g. operational amplifier)


✓								
	✓							
		✓						
			✓					
				✓				
					✗			

SLiCAP
SLiCAP
SLiCAP
SLiCAP
SLiCAP
Database


*Function, performance,
costs and environment
Feedback configuration
Biasing concept, supply voltages
Controller input noise sources
Loop gain and LP product
*Putting it all together**

 design aspect

Design step



Design tool




Setting up and understanding the specifications
Design considerations w.r.t. the amplifier type: A, B, C, D
Design considerations w.r.t. the V/I drive capability and biasing stability
Design considerations w.r.t. the noise performance
Design considerations w.r.t. the mid-band accuracy and bandwidth
Component selection (e.g. operational amplifier)
Frequency compensation

✓								
	✓							
		✓						
			✓					
				✓				
					✓			
						✗		


SLiCAP
SLiCAP
SLiCAP
SLiCAP
SLiCAP
Database
SLiCAP

*Function, performance,
costs and environment*
Feedback configuration
Biasing concept, supply voltages
Controller input noise sources
Loop gain and LP product
Putting it all together
Frequency response, PZ pattern




design
aspect

Design step



Design tool




Setting up and understanding the specifications
Design considerations w.r.t. the amplifier type: A, B, C, D
Design considerations w.r.t. the V/I drive capability and biasing stability
Design considerations w.r.t. the noise performance
Design considerations w.r.t. the mid-band accuracy and bandwidth
Component selection (e.g. operational amplifier)
Frequency compensation
Verification of the weak nonlinearity

✓								
	✓							
		✓						
			✓					
				✓				
					✓			
						✓		
							✗	


SLiCAP
SLiCAP
SLiCAP
SLiCAP
SLiCAP
Database
SLiCAP
LTspice

Function, performance,
costs and environment
Feedback configuration
Biasing concept, supply voltages
Controller input noise sources
Loop gain and LP product
Putting it all together
Frequency response, PZ pattern
Distortion


design aspect



Design step



Design tool



Setting up and understanding the specifications
Design considerations w.r.t. the amplifier type: A, B, C, D
Design considerations w.r.t. the V/I drive capability and biasing stability
Design considerations w.r.t. the noise performance
Design considerations w.r.t. the mid-band accuracy and bandwidth
Component selection (e.g. operational amplifier)
Frequency compensation
Verification of the weak nonlinearity
(Specification of bias sources)

✓								
	✓							
		✓						
			✓					
				✓				
					✓			
						✓		
							✓	

SLiCAP
SLiCAP
SLiCAP
SLiCAP
SLiCAP
Database
SLiCAP
LTspice
SLiCAP / LTspice

Function, performance,
costs and environment
Feedback configuration
Biasing concept, supply voltages
Controller input noise sources
Loop gain and LP product
Putting it all together
Frequency response, PZ pattern
Bias structure
Design of bias sources

← design aspect